

IN THE U.S. PATENT AND TRADEMARK OFFICE

Applicants: Eijiro WATANABE et al.

Serial No.: 08/992,914

Group: 1638

Filed: December 18, 1997

Examiner: D.H.Kruse

For: RAFFINOSE SYNTHASE GENES AND THEIR USE

DECLARATION UNDER 37 CFR 1.132

Honorable Commissioner of Patents and Trademarks
Washington, D.C. 20231

Sir:

I, Akitsu NAGASAWA, citizen of Japan and residing in Kamokogahara 3-28-56, Higashi-Nada-ku, Kobe-shi, Hyogo-ken, Japan, declare and say that:

1. I completed the master's course, with a major in agricultural biology, of the graduate school of Kyoto University and obtained a master's degree in agriculture at Kyoto University in March, 1984.

2. From April, 1984 to the present, I have been an employee of Sumitomo Chemical Company, Limited, the assignee of the above-identified application.

3. From April, 1984 to the present, I have been engaged in research works for plant engineering using recombination and other gene manipulation, such as cloning of plant genes, preparation and evaluation of transgenic plants.

4. I am one of the members of the research project related to the above-identified application and am familiar with the subject matter thereof.

5. I have read the Office Action mailed March 11, 2005 and the reference cited, and am familiar with the subject matter thereof.

6. To demonstrate successful identification of raffinose synthase genes in plant, I have made the following computer analysis.

ANALYSIS

1) The overall sequence homologies (%) among the amino acid sequences of raffinose synthases (RFSs), seed imbibition protein (SIP) and stachyose synthases (STSs) shown in Table 1 attached hereto were calculated based on a global multiple alignment (the alignment of sequences over their entire length) using the gene analysis software GENETYX-SV/RC for Windows version 6.1.0 (GENETYX Corporation; <http://www.sdc.co.jp/genetyx/>) with default parameters. The global multiple alignment was generated using CLUSTAL sequence analysis program. The amino acid sequences of the RFSs, SIP and STSs used to produce the global multiple alignment are as follows:

Sc-02:

```
MAPPSITKTATLQDVISTIDIGNGNSPLFSITLDQSRDFLANGHPFLTQV
PPNITTTTTTASSFLNLKSNKDTIPNNNTMLLQQGCFVGFNSTEPKSH
HVVPLGKLKGIKFMSIFRFKVVWTTTHWGTNGQELQHETQMLILDKNDSL
GRPYVLLLPILNTFRTSLQPGLNDHIGMSVESGSTHVTGSSFKACLYIH
LSNDPYSILKEAVKVIQTQLGTFKTLLEKTAPSIIDKFGWCTWDAFYLVK
HPKGVWEGVKSLTDGGCPPGFVIIDDGWQSI CHDDDDDEDDSGMNRTSAGE
QMPCLVKYEENSKFREYENPENGKKGLGGFVRDLKEEFGSVESVYVWH
ALCGYWGGVRPGVHGMPPKARVVVPKVSQGLKMTMEDLAVDKIVENGVLV
PPDFAHEMFGLHSHLESAGIDGVKVDVIHLLELLSEYGGRVELARAYY
KALTSSVKKHFKGNGVIASMEHCNDFLLGTEAISLGRVGDDFWCSDPSG
DPNGTYWLQGCHMVHCAYNSLWMGNFIQPDWDMFQSTHPCAEFHAASRAI
SGGPIYVSDCVGNHNFKLLKSLVLPDGSILRCQHYALPTRDCLFEDPLHN
GKTMKIWNLNKYTGVLGLFNCQGGWCPEARRNKSVSEFSRAVTCYASP
EDIEWCNGKTPMSTKGVDFFAVYFFKEKKLRMLKCSDRCLKVSLEPFSFEL
MTVSPVKVFSKRFIQFAPIGLVNMLNSGGAIQSLEFDDNASLVKIGVRGC
GEMSVFASEKPVCKIDGVKVKFLYEDKMARVQILWPSSSTLSLVQFLF
```

Sc-03:

```
MAPSFSKENSKTCDEVANHDDCNTCPISLEESNFMVNGHVILSQVPSNI
TAISKMGFDGLFVGFDPEPKARHVSVGQLKGIPFMSIFRFKVVWTTTHW
TGSNGRDLEHETQILILDKSDEGLGRPYIVILPLIEGPFRASLQPGSVDD
YVDICVESGSTKVVGDSFRAVLYIRAGPDPFKLIKDTMKEVQAHLGTFKL
LDDKTPPGIVDKFGWCTWDAFYLVKEXYGVWEGVKGLVENGVPGLVLID
DGWQSI CHDDDPITDQEGINRTSAGEQMPCLIKYEENFKFRDYKSPNIM
GHEDHPNMGMRAFVRDLKEEFKTVHEHVYVWHAFTGYWGGVRPNVPLXEA
QVVTPLKSPGLEMTMEDLAVDKIVNNGIGLVQPDKAQELYEGLHSHLENC
```

GIDGVKVDVIHLLLEMAEDYGGRVELAKTYKAITESVRKHFKGNGV IAS
MEQCNDFMLLGTE TICLGRVGDDFWPTDP SGDINGTYWLQGCHMVHCAYN
SLWMGNFIHPDWMFQSTHPCA EFHAASRAISGGPIYVSDVVGKHNIPLL
KRLVLADG SILRCEYHALPTKDCLFVDPLHDGKTMLKIWNLNKYNGVLGV
FNCQGGGWSRESRKNLCFSEYSKPI SCKTSPKDV EWENGHKPFIKGV EC
FAMYFTKEKKLILSQLSDTIEI SLDPFDYELIVVSPMTILPWESIAFAPI
GLVNMLNAGGAVKSLDIS EDNEDKMVQVG IKGAGEMMVYSSEKPKACRVN
GEDMEFEYEESMIKVQVTWNHNSGGFTTVEYLF

Sc-04 (truncated):

MAPSISKVELNSFGLVNGNLPLSITLEGSNFLANGHPFLTEVPENIIVT
PSPIDAKSSKNEDDDVVGCFVGFHAEPRSRHVASLGKLRGIKFMSIFR
FKVWWTTHWVGSNGHELEHETQMMLLDKNDQLGRPFVLI LPILQASFRAS
LQPLGDDYVDVCMESGSTRVCGSSFGSCLYVHVGHDPYQLLREATKVVRM
HLGTFKLLEEKTA PVIIDKFGWCTWDAFYLVKHPSGVWEGVKGLVEGGCP
PGMVLIDDGWQAI CHDEDPITDQEGMKRTSAGEQMP CRLVKLEENYKFRQ
YCSGKDSEKGMGAFVRDLKEQFRSVEQVYVWHALCGYWGGVRPKVPGMPQ
AKVVT PKLSNGLKLTMDLAVDKIVSNGVGLVPPHLAHLLEYGLHSRLES
AGIDGVKVDVIHLLLEMLSEYGGGRVELAKAYYKALTASVKKHFKGNGVIA
SMEHCNDFFLGTEAIALGRVGDDFWCTDP SGDPNGTYWLQGCHMVHCAY
NSLWMGNFIQPDWDMFQSTHPCA EFHAPLGP SLVDQFTLVIVLESTTSSC
SRASLCLMGRFCVVNTMHSPHETVCLKTPCMMGRQCSKFGISTNIQVFWV
YLIAKEVGGVP

Sc-05:

MAPPSVIKSDAAVNGIDL SGKPLFRLEGSDLLANGHVVLTDVPVNVTVTA
SPYLADKDGE PVDASAGSFIGFNLDGEPRSRHVASIGKLRDIRFMSIFRF
KVWWTTHWVGSKGSDIENETQII ILENSGSGRPYVLLLPLLEGSFRSSFQ
PGEDDDVAVCVESGSTQVTGSEFRQVYVHAGDDPFLVKDAMKVVRVHM
NTFKLLEEKXPPGI VDKFGWCTWDAFYLTVNPDGVHKGVKCLVDGGCPPG
LVLIDDGWQSIGHDSGIDVEGMSCTVAGEQMP CRLKFQENFKFRDYVS
PKDKNEVGMAFVRDLKEEFSTVDYIYVWHALCGYWGGLRPGAPTLPPST
IVRPELSPGLKLTMQDLAVDKIVDTGIGFVSPDMANEFYEGHSHLQNVG
IDGVKVDVIHILEMLCEKYGGRVDLAKAYFKALTSSVNKHFDGNGV IASM
EHCNDFMFLGTEAISLGRVGDDFWCTDP SGDINGTYWLQGCHMVHCAYNS
LWMGNFIQPDWDMFQSTHPCA EFHAASRAISGGPIYISDCVGQHDFDLLK
RLVLPDGSILRCEHYALPTRDRLFEDPLHDGKTMLKIWNLNKYTG IIGAF
NCQGGGWCRETRRNQCFSQCVNTLTATTNPKDVEWNSGNNPISVENVEEF
ALFLSQSKKLVLSGPNDDLEITLEPFKFELITVSPVVTIEGSSVQFAPIG
LVNMLNTSGAIRSLVYHEESVEIGVRGAGEFRVYASRK PASCKIDGEVVE
FGYEESMVMVQVPWSAPEG LSSIKYEF

PsRFS:

MAPPSITKTATQQDVISTVDIGNSPLLSISLDQSRNFLVNGHPFLTQVPP
NITTTTTSTPSPFLDFKSNKDTIANNNNTLQQQCGFVGFNTEAKSHHV
PLGKLKGIKFTSIFRFKVVWTTTHWVGTHGHEHQHETQILILDKNISLGRP
YVLLLPILENSFRTSLQPGLNDYVDMVESGSTHVTGSTFKACLYLHLSN
DPYRLVKEAVKVIQTKLGTFTLEEKTPPSIEKFGWCTWDAFYLVKHPK
GVWEGVKALTDGGCPPGFVIIDDGWQSI SHDDDDPETERDGMNRTSAGEQ
MPCRLIKYEENYKFREYENGDNNGKKGLVGFVRDLKEEFRSVESVYVWHA
LCGYWGGVRPKVCGMPEAKVVVPKLSPGVKMTMEDLAVDKIVENGVLVP
PNLAQEMFDGIHSHLESAGIDGVKVDVIHLLLELSEEYGGRVELAKAYYK
ALTSSVNKHFKNGVIAASMEHCNDFLLGTEAISLGRVGDDFWCCDPSPGD
PNGTYWLQGGCHMVHCAYNSLWMGNFIHPDWDMFQSTHPCAEFHAASRAIS
GGPVYVSDCVGNHNFKLLKSFVLPDGSILRCQHYALPTRDCLFEDPLHNG
KTMKLIWNLNKYAGVLGLFNCQGGGWCPETRRNKSASEFSHAVTCYASPE
DIEWCNGKTPMDIKGVDFAVYFFKEKKLSLMKCSDRLEVSLEPFSFELM
TVSPLKVFSKRLIQFAPIGLVNMLNSGGAVQSLEFDDASLVKIGVRGCG
ELSVFASEKPVCKIDGVSVEFDYEDKMVRVQILWPGSSTLSLVEFLF

Aj-05:

MAPSFKNGGSNVVSFDGLNDMSSPFAIDGSDFTVNGHSFLSDVPENIVAS
PSPYTSIDKSPVSVGCFVGFDASEPDSRHVVSIGKLDIRFMSIFRFKVV
WTTTHWVGRNGGDLESETQIVILEKSDSGRPYVFLLPIVEGPFRTSIQPGD
DDFVDVCVESGSSKVVDASFRSMLYLHAGDDPFALVKEAMKIVRTHLGTF
RLLEEKTPPGIVDKFGWCTWDAFYLTVHPQGVIEGVRHLVDGGCPPGLVL
IDDGWQSIGHSDPI TKEGMNQT VAGEQMPCRLKQFQENYKFRDYVNPKA
TGPRAGQKGMKAFIDELKGEFKTVEHVYVWHALCGYWGGRLRPQVPGLPEA
RVIQPVLSPLQMTMEDLAVDKIVLHKVGLVPPEKAEEMYEGLHAHLEKV
GIDGVKIDVIHLLLEMLCEDYGGRVDLAKAYYKAMTKSINKHFKNGVIA
MEHCNDFMFLGTEAISLGRVGDDFWCTDPSGDPNGTFWLQGGCHMVHCAN
SLWMGNFIHPDWDMFQSTHPCAAFHAASRAISGGPIYVSDSVGKHNFDLL
KKLVLPDGSILRSEYYALPTRDCLFEDPLHNGETMLKIWNLNKFTGVIGA
FNCQGGGWCRETRRNQCFSQYSKRVTSTNPKDIEWHSGENPISIEGVKT
FALYLYQAKKILSKPSQDLIALDPFELITVSPVTKLIQTSLHFAPIG
LVNMLNTSGAIQSVDYDDLSSVEIGVKGCGEMRVFASKKPRACRIDGE
DVGFKYDQDMVVVQVPWPIDSSSGGISVIEYLF

HvSIP:

MTVTPQITVGDGRLAVRGRTVLSGVPDNVTAHAAGAGLVDGAFVGATAA
EAKSHHVFTFGTLRDCRFMCLFRFKLWMTQRMGTSGRDVPLETQFILIE

VPAAAGNDDGDSSDGDSEPVYLVMLPLLEGQFRTVLQGNDQDELQICIES
 GDKAVETEQGMNNVYVHAGTNPFDITQAVKAVEKHTQTFHHREKKTGPS
 FVDWFGWCTWDAFYTDVTADGVKQGLRSLAEGGAPPRFLIIDGWQQIGS
 ENKDDPGVAVQEGAQFASRLTGIRENTKFQSEHNQEETPGLKRLVDETKK
 EHGVS SVYVWHAMAGYWGGVKPSAAGMEHYEPALAYPVQSPGVTGNQPD
 VMDSL SVLGLGLVHPRRVHRFYDELHAYLAACGVDGVKVDVQNI VETLGA
 GHGGRVALTRAYHRALEASVARNFDPNGCISCMCHNTDMLYSAKQTAVVR
 ASDDFYPRDPASHTVHISSVAYNTLFLGEFMQPDWDMFHSHPAAEYHGA
 ARAIGGCP IYVSDKPGNHNFLLRKL VLPDGSVLRAQLPGRPTRDCLFSD
 PARDGASLLKIWNMNCAGVGVFNCQGAGWCRVAKKTRIHDEAPGTLTG
 SVRAEDVEAIAQAAGTGDWGGEAVVYAHRAVELVRLPRGATLPVTLKRLE
 YELFHVCPVRAVAPGVSFAPIGLLHMFNAGGAVEECTVETGEDGNNAVGL
 RVRGCGRFGAYCSRRPAKCSVDSADVEFTYDSDTGLVTADVPVPEKEMYR
 CALEIRV

AmSTS :

MAPPYDPIPIPIPM SAILNFLSSTVKDNSFELLDGTL SVKNVPILTDIPS
 NVSFSSSFSSIVQSSEAPVPLFQRAQSLSSSGGFLGFSQNEPSSRLMNSLG
 KFTDRDFVSIFRFTWWSTQWVGTTGSDIQMETQWIMLDVPEIKSYAVVV
 PIVEGKFRSALFPKGDKHILIGAESGSTKVKTSNFDIAIYVHVSENPYTL
 MRDAYTAVRVHLNTFKLIEEKSAPPLVNKFGWWTWDAFYLTVEPAGIYHG
 VQEFADGGLTPRFLIIDGWQSINDDNDPNEDAKNLVLGGTQMTARLHR
 LDECEKFRKYKGGMSGPNRPPFDPKPKLLISKAIEIEVAEKARDKAAQ
 SGVTDLARYEAEIEKLTKELDQMFGGGGEETSSGKSCSSCCKSDNFGMK
 AFTKDLRTNFKGLDDIYVWHALAGAWGVRPGATHLNAKIVPTNLSPGLD
 GTMTDLAVVKIIEGSTGLVDPDQAEDFYDSMHSYLSVVGITGVKVDVIHT
 LEYISEDYGGVELAKAYYKGLSKSLAKNFNGTGLISSMQQCNDFFLLGT
 EQISMGRVGGDFWFQDPNGDPMGVYWLQGVHMIHCAYNSMWMGQFIQPDW
 DMFQSDHPGGYFHAGSRAICGGPVYVSDSLGGHNFLLKKLVFNDGTIPK
 CIHFALPTRDCLFKNPLFDSKITLKIWNFNKYGGVIGAFNCQGAGWDPKE
 QRIKGYSCYKPLSGSVHVSIEFDQKKEASEMGEAEYAVYLSEAELLS
 LATRSDPIKITIQSSTFEIFSFPVKKLGEGVKFAPIGLTNLFNAGGTI
 QGLVYNEGIAKIEVKGDGKFLAYSSVVPKKAYVNGAEKVFAWSGNGKLEL
 DITWYEECGGISNVTFVY

PsSTS-1 :

MAPPLNSTTSNLIKTESIFDLSEKFKVKGFPLFHDVPENVSFERSFSSIC
 KPSESNAPPSLLQKVLAYSHKGGFFGFSHETPSDRLMNSIGSFNGKDFLS
 IFRFTWWSTQWIGKSGSDLQMETQWILIEVPETKSYVVIPIIEKCFRS
 ALFPGFNDHVKIIAESGSTKVKESTFNSIAYVHFSENPYDLMKEAYS AIR
 VHLNSFRLL EKTIPNLVDKFGWCTWDAFYLT VNPIGIFHGLDDFSKGGV

EPRFVIIDDGWQSI SFDGYDPNEDAKNLVLGGEQMSGRLHRFDECYKFRK
 YESGLLLGPNSPPYDPNNFTDLILKGIEHEKL RKKREEAISSKSSDLAEI
 ESKI KKVKEIDDLFGGEQFSSGEKSEMKSEYGLKAFTKDLRTKFKGLDD
 VYVWHALCGAWGGVRPETTHLDTKIVPCKLSPGLDGTMEDLAVVEISKAS
 LGLVHPSQANELYDSMHSYLAESGITGVKVDVIHSLEYVCDEYGGRVDLA
 KVVYEGLTKSIVKNFNNGNMIASMQH CNDFFFLGTKQISMGRVGDDFWFQ
 DPNGDPMGSFWLQGVHMIHCSYNSLWMGQMIQPDWDMFQSDHVC AKFHAG
 SRAICGGPIYVSDNVGSHDFDLIKKLVFPDGTIPKCIYFPLPTRDCLFKN
 PLFDHTTVLKIWNFNKYGGVIGAFNCQGAGWDPIMQKFRGFPECYKPIPG
 TVHVTEVEWDQKEETSHLGKAEYVVYLNQAEELSLMTLKSEPIQFTIQP
 STFELYSFVPVTKLCGGIKFAPIGLTNMFNSGGTVIDLEYVGNGAKIKVK
 GGSFLAYSSSESPKKFQLNGCEVDFEWLGDGKLCVNVPWIEEACGVSDME
 IFF

PsSTS-2:

MAPPLNSTTSNLIKTESIFDLSEKFKVKGFPLFHDVPENV SFRSFSSIC
 KPSESNA PPSLLQKVLAYSHKGGFFGFSHETPSDRLMNSLGSFNGKDFLS
 IFRFKTWWSTQWIGKSGSDLQMETQWILIEVPETKSYVVIPIIEKCFRS
 ALFPGFNDHVKIIAESGSTKVKESTFNSIAYVHFSENPYDLMKEAYIAIR
 VHLNSFRLL EECTIPNLVDKFGWCTWDAFYLT VNPIGIFHGLDDFSKGGV
 EPRFVIIDDGWQSI SFDGCDPNEDAKNLVLGGEQMSGRLHRFDECYKFRK
 YESGLLLGPNSPPYDPKKFTDLILKGIEHEKL RKKREEAISSKSSDLAEI
 ESKI KKVKEIDDLFGGEQFSSVEKSEMKSEYGLKAFTKDLRTKFKGLDD
 VYVWHALCGAWGGVRPETTHLDTKFVPCKLSPGLDGTMEDLAVVEISKAS
 LGLVHPSQANELYDSMHSYLAESGITGVKVDVIHSLEYVCDEYGGRVDLA
 KVVYEGLTKSIVKNFNNGNMIASMQQCNDFFFLGTKQISMGRVGDDFWFQ
 DPNGDPMGSFWLQGVHMIHCSYNSLWMGQMIQPDWDMFKSDHVC AKFHAG
 SRAICGGPIYVSDNVGSHDFDLIKKLVFPDGTIPKCIYFPLPTRDCLFKN
 PLFDHTTLLKIWNFNKYGGVIGAFNCQGAGWDPIMQKFRGFPECYKPIPG
 TVHVTQVEWDQKEETSHFGKAEYVVYLNQAEELCLMTLKSEPIQFTIQP
 STFELYSFVPVTKLCGGIKFAPIGLTNMFNSGGTVIDLEYVGNGAKIKVK
 GGSFLAYSSSESPKKFQLNGCEVDFEWLGDGKLCVNVPWIEEACGVS

SaSTS:

MAPPNDPISSIFSPLISVKKDNAFELVGGKLSVKNVPLLSEIPSNVTFKS
 FSSICQSSGAPAPLYNRAQSLSNCGGFLGFSQKESADSVTNSLGKFTNRE
 FVSIFRFKTWWSTQWVGTS GSDIQMETQWIMNLPEIKSYAVVPIIVEGK
 FRSALFPGKDGHVLSAESGSTCVKTT SFTSIAYVHVSDNPYTLMKDGYT
 AVRVLDTFKLIEEKSAPPLVNKFGWCTWDAFYLTVEPAGI WNGVKEFS
 GGSFPRFLIIDDGWQSI NIDGQDPNEDAKNLVLGGTQMTARLHRFDECEK
 FRKYKGGSMMPKVPYFDPKKPKLLISKAIEIEGVEKARDKAIQSGITDL

SQYEIKLKKLNKELDEMFGGGGNDEKSSSKGCSDCSCKSQNSGMKAFTND
 LRTNFKGLDDIYVWHALAGAWGGVKPGATHLNAKIEPCKLSPGLDGTMTD
 LAVVKILEGSI GLVHPDQAEDFYDSMHSYLSKVGITGVKVDVIHTLEYVS
 ENYGG RVELGKAYYKGLSKSLKKNFNGSGLISSMQQCNDFFLLGTEQISM
 GRVGDDFWFQDPNGDPMGVFWLQGVHMIHCAYNSMWMGQIIHPDWDMFQS
 DHCSAKFHAGSRAICGGPVYVSDSLGGHDFDLKKLVFNDGTIPKCIHFA
 LPTRDCLFKNPLFDSKITLKIWNFNKYGGVVGAFNCQGAGWDPKEQRIKG
 YSECYKPLSGSVHVS DIEWDQKVEATKMGEAEYAVYLTESEKLLLTTP
 SDPIPF TLKSTTFEIFS FVPIKKLGQGVKFAPIGLTNLFNSGGTIQGVVY
 DEGVAKIEVKDGGKFLAYSSSVPKRSYLNGEVEYKWSGNGKVEVDVPWY
 EECGGISNITFVF

VaSTS:

MAPPNDPVNATLGLEPSEKVFDSLSDGKLT VKGVVLLSHVPENVTFSSFS
 I CVPRDAPSSILQRVTAASHKGGFLGFSHVSPSDRLINSLGSFRGRNFLS
 IFRFKTWWSTQWVGNSGSDLQMETQWILIEVPETESYVVIPIIEKSFRS
 ALHPGSDDHVKICAESGSTQVRASSFGAIAYVHVAETPYNLMREAYSALR
 VHLDSEFRLL EKTVPRIVDKFGWCTWDAFYLTVPNPVGVWHGLKDFSEGGV
 APRFVVIDDGWQSVNFDDDPNEDAKNLVLGGEQMTARLHRFEEDKFRK
 YQKGLLLGPNAPSFNPETIKELISKGIEAEHLGKQAAAI SAGGSDLAIE
 LMIVKVR EEDDLFGGKGKESNESGGCCCKAAECGGMKDFTTDLRTEFKG
 LDDVYVWHALCGGWGGVRPGTTHLDSKIIPCKLSPGLVGTMDLAVDKIV
 EGSIGLVHPHQANDLYDSMHSYLAQTGVTGVKIDVHSLEYVCEEYGGRV
 EIAKAYYDGLTNSIIKNFNGSGIIASMQQCNDFFFLGTKQIPFGRVGDDF
 WFQDPNGDPMGVFWLQGVHMIHCSYNSLWMGQIIQPDWDMFQSDHECAKF
 HAGSRAICGGPVYVSDSVGSHDFDLIKKLVFPDGTVPKCIYFPLPTRDCL
 FRNPLFDQKTVLKIWNFNKYGGVIGAFNCQGAGWDPKGKKFKGFPECYKA
 ISCTVHVTEVEWDQKKEAEHMGKAEYVYVYLNQAEVLHLMTPVSEPLQLT
 IQPSTFELYNFVPVEKLGSSNIKFAPIGLTNMFNSGGTIQELEYIEKDVK
 VKVKGGRFLAYSTQSPKKFQLNGSDAAFQWLPDGKLTNLAWIEENDGV
 SDLAIFF

The calculated overall sequence homologies (%) are shown in Table 2 attached hereto. The homologies between RFSs and SIP are less than 40%. The homologies between RFSs and STSs are not higher than 45%. On the other hand, the homologies among RFSs are all 50% or higher. Thus, the homologies among RFSs are higher than those homologies between RFSs and SIP and between RFSs and STSs.

A molecular phylogenetic tree of the RFSs, SIP and STSs shown in Table 1 is

drawn in Figure 1 attached hereto. The molecular phylogenic tree is drawn by the UPGMA method using the gene analysis software GENETYX-SV/RC for Windows version 6.1.0 (GENETYX Corporation; <http://www.sdc.co.jp/genetyx/>) with default parameters. In the molecular phylogenic tree, RFSs, SIP and STSs form different groups respectively.

In summary, Table 2 and Figure 1 show that RFSs, SIP and STSs can be distinguished from one another based upon a comparison of their amino acid sequences.

2) Attached Table 3 shows the identities obtained using the BLAST program for the amino acid sequences of RFSs, SIP and STSs shown in Table 1. Among Sc-02, Sc-03, Sc-04 and Sc-05, the identities were obtained by searching the "patent database" provided by NCBI (National Center for Biotechnology Information) with default parameters, using the amino acid sequence of each protein as the "query", and using "Protein query vs. translated database (tblastn)" of the NCBI BLAST program. Also, other identities were obtained by searching the "non-redundant database" provided by NCBI with default parameters, using the amino acid sequence of each protein as the "query", and using "Protein-protein BLAST (blastp)" of the NCBI BLAST program. The above-identified amino acid sequences of the RFSs, SIP and STSs are used as the "query" except that the amino acid sequence of Sc-04 used as the "query" is as follows:

Sc-04 (full-length):

```
MAPSISKTVELNSFGLVNGNLPLSITLEGSNFLANGHPFLTEVPENIIVT
PSPIDAKSSKNNEDDVVGCFVGFHADEPRSRHVASLGKLRGIKFMSIFR
FKVWWTTHWVGSNGHELEHETQMMLLDKNDQLGRPFVLILPILQASFRAS
LQPGLLDDYVDVCMESGSTRVCGSSFGSCLYVHVGHDPYQLLREATKVVRM
HLGTFKLLEKTAPVIDKFGWCTWDAFYLVHPSGVWEGVKGLVEGGCP
PGMVLIDDGWQAI CHDEDPITDQEGMKRTSAGEQMP CRLVKLEENYKFRQ
YCSGKDSEKGMGA FVRDLKEQFRSVEQVYVWHALCGYWGGVRPKVPGMPQ
AKVVT PKLSNGLKLTMKDLAVDKIVSNGVGLVPPHLAHLLEYGLHSRLES
AGIDGVKVDVIHLLEMLSEYGG RVELAKAYYKALTASVKKHFKGNGVIA
SMEHCNDFLLGTEAIALGRVGDDFWCTDP SGDPNGTYWLQGCHMVHCAY
NSLWMGNFIQPDWDMFQSTHPCA EFHAASRAISGGPVYVSDCVGKHNFKL
LKSLALPDGTILRCQHYALPTRDCLFEDPLHDGKTM LKIWNLNKYTGVLG
```


LFNCQGGGWCPVTRRNKSASEFSQTVTCLASPQDIEWSNGKSPICIKGMN
VFAVYLFKDHKLKMKASEKLEVSLEPFTFELLTVSPVIVLSKKLIQFAP
IGLVNMLNTGGAIQSMEDFNHIDVVKIGVRGCGEMKVFASEKPVSKLDG
VVVKFDYEDKMLRVQVPWPSASKLSMVEFLF

As shown in Table 3, the identities between RFSs and SIPs are about 40%. The identities between RFSs and STSs range from about 40% to about 50%. On the other hand the identities among RFSs are 60% or higher. The identities among STSs are also 60% or higher. That is, the identities among RFSs or the identities among STSs are higher than the identities between RFSs and SIP or the identities between RFSs and STSs. Thus, RFSs, SIP or STSs can be distinguished based on the results of analysis using BLAST program.

3) Attached Table 4 shows the identities obtained using another BLAST program for the amino acid sequences of RFSs, SIP and STSs shown in Table 1. All possible pair-wised amino acid sequence comparison were made by the "Blast 2 Sequences" program from NCBI (<http://www.ncbi.nlm.nih.gov/blast/bl2seq/bl2.html>). Sequence identities were calculated using default parameters, program; blastp, matrix; BLOSUM62, open gap penalty; 11, extension gap penalty; 1, gap x_dropoff; 50, expect; 10.0, and word size; 3. The amino acid sequences of the RFSs, SIP and STSs used to calculate sequence identities are identical to those used as the "query" to obtain identities shown in Table 3. Results were essentially the same with former two types of comparison.

4) In conclusion, raffinose synthases (RFSs), seed imbibition protein (SIP) and stachyose synthases (STSs) were clearly distinguished from one another based on comparison of their amino acid sequences.

7. I declare further that all statements made herein of my own knowledge are true and that all statements made on information and belief are believed to be true; and further that these statements were made with the knowledge that willful false statements and the like so made are punishable by fine or imprisonments, or both, under Section 1001 of Title 18 of the United States Code and that such willful false statements may jeopardize the validity of the above-identified application or any patent issued thereon.

This 6th day of September, 2005


Akitsu NAGASAWA

Table 1

Code	Protein*	Organism	Accession**	Reference	Author/Assignee
Sc-03	RFS	<i>Beta vulgaris</i>	E37133	09/301,766	Sumitomo Chemical
Sc-05	RFS	<i>Brassica juncea</i>	E36417	09/301,766	Sumitomo Chemical
Sc-02	RFS	<i>Vicia faba</i>	E24423	08/992,914	Sumitomo Chemical
Sc-04	RFS	<i>Glycine max</i>	E24424	08/992,914	Sumitomo Chemical
Aj-05	RFS	<i>Cucumis sativus</i>	AF073744	Family GH36***	Ohsumi et al.
PsRFS	RFS	<i>Pisum sativum</i>	AJ426475	Family GH36	Peterbauer et al.
HvSIP	SIP	<i>Hordeum vulgare</i>	M77475	Family GH36	Heck et al.
PsSTS-1	STS	<i>Pisum sativum</i>	AJ311087	Family GH36	Peterbauer et al.
PsSTS-2	STS	<i>Pisum sativum</i>	AJ512932	Family GH36	Peterbauer et al.
VaSTS	STS	<i>Vigna angularis</i>	Y19024	Family GH36	Peterbauer et al.
AmSTS	STS	<i>Alonsoa meridionalis</i>	AJ487030	Family GH36	Voitsekhovskaja
SsSTS	STS	<i>Stachys affinis</i>	AJ344091	Family GH36	Pesch and Schmitz

*Protein: RFS, Raffinose synthase; SIP, Seed Imbibition Protein; STS, Stachyose synthase.

**Accession: GenBank Accession Number.

***Family GH36: glycoside hydrolase family 36 (see Carbohydrate-Active Enzymes (CAZy) database: http://afmb.cnrs-mrs.fr/CAZY/GH_36.html)

Fig. 1

[GENETYX : Evolutionary tree]
 Date : 2004.2.4
 Method: UPGMA

